



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		26
Se	0.00 µg/l	0 µg/l	-0.10		26
Cd	0.00 µg/l	0 µg/l	-0.10		26
Sn	0.00 µg/l	0 µg/l	-0.10		26
Sb	0.00 µg/l	0 µg/l	-0.10		26
As	0.00 µg/l	0 µg/l	-0.10		26
Al	16.00 µg/l	2.00 µg/l	14.00		26
Pb	0.00 µg/l	0 µg/l	-0.10		26
Ti	0.00 µg/l	0 µg/l	-0.10		26
Cu	2.97 µg/l	0 µg/l	2.87		26
La	0.00 µg/l	0 µg/l	-0.10		26
Sc	0.00 µg/l	0 µg/l	-0.10		26
W	0.00 µg/l	0 µg/l	-0.10		26

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10054.00 mg/l	10700.00 mg/l	-646.00		26
Ca	442.00 mg/l	440.00 mg/l	2.00		26
Mg	1313.00 mg/l	1370.00 mg/l	-57.00		26
K	371.00 mg/l	400.00 mg/l	-29.00		26
Br	56.00 mg/l	62.00 mg/l	-6.00		26
B	2.95 mg/l	4.50 mg/l	-1.55		26
Sr	10.00 mg/l	8.00 mg/l	2.00		26
S	945.00 mg/l	900.00 mg/l	45.00		26

cube18 (14888A)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	457.00 µg/l	200.00 µg/l	257.00		26
Ni	0.00 µg/l	5.00 µg/l	-5.00		26
Mo	9.24 µg/l	12.00 µg/l	-2.76		26

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		26
Zn	0.00 µg/l	4.00 µg/l	-4.00		26
Mn	0.00 µg/l	2.00 µg/l	-2.00		26
I	0.00 µg/l	60.00 µg/l	-60.00		26

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		26
Co	0.00 µg/l	0 µg/l	-0.10		26
Fe	0.00 µg/l	0 µg/l	-0.10		26

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	16.00 µg/l	10.00 µg/l	6.00		26
Be	0.00 µg/l	0 µg/l	-0.10		26

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	133.00 µg/l	100.00 µg/l	33.00		26

cube18 (14888A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	31.00 µg/l	6.00 µg/l	25.00		26
PO4	0.095 mg/l	0.018 mg/l	0.077		26